

# Eaton 63D33R

Catalog Number: 63D33R

Eaton Bussmann series low voltage D fuse, Ultra-rapid, 500V, 63A, Non Indicating, fuse, Class gR, Ultra rapid, Copper, Ceramic body



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage D fuse	63D33R
	<b>Model Code</b>
	FUSE-D2 63A F GR 500VAC E33
<b>UPC</b>	<b>EAN</b>
051712836463	5027590485012
<b>Product Length/Depth</b>	<b>Product Height</b>
50 mm	27 mm
<b>Product Width</b>	<b>Product Weight</b>
27 mm	52.16 g
<b>Compliances</b>	<b>Certifications</b>
GoST-R	VDE
CE Marked	IEC 60269
RoHS Compliant	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

## defaultTaxonomyAttributeLabel

### Type

fuse

### Special features

Ultra-rapid

### Application

For domestic and general industrial applications

### Amperage Rating

63 A

### Fuse size

DIII

### Breaking capacity

50 kA

### Construction size (fuse inserts)

DIII

### Rated voltage AC

500 V

### Class

Class gR

### Fuse type

D33R - Ultra rapid

### Accessory/spare part type

63GD33 Copper screw cap gauge piece

### Utilization category

gR (general purpose semiconductor protection)

### Color

Copper

### Interrupt rating

50 kAIC

### Fuse indicator

Non-indicating

### Connection

Other

### Construction

D3

### Construction size

## Resources

### Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

### Catalogs

[CA134002EN](#)

[Bussmann series complete full line catalog no. 1007](#)

[63D33R-FUSE-D2 63A F GR 500VAC E33](#)

### Compliance information

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

[CE Bottle fuse-links, holders, carriers and accessories](#)

### Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

DIII

Fuse shape

Bottle

Response time

Ultra rapid

Suitable for

E33/DIII Fuse base

TFD33 Fuse base screw fixing

SFRD33 Fuse base DIN-Rail mount

TFRD33 Fuse base DIN-Rail mount

Material

White ceramic body

Release characteristic

Super fast (FF)

Quantity

25

Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)