

Eaton 63FE

Catalog Number: 63FE

Eaton Bussmann series high speed British standard fuse, Single barrel, 63A, 690 VAC/500 VDC (IEC), 700 VAC/500 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym.HS, 50 kA DC at 500 VDC



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed british standard fuse	63FE
	Packing Unit
	Case Pack Pack
EAN	Quantity
5027590354615	360
5027590549684	10
Gross Weight	Length
15.7 kg	385 mm
0.404 kg	Width
	280 mm
Height	Volume
175 mm	18865 cm ³
ERP Name	Product Length/Depth
SAP-UNITY	76 mm
SAP-UNITY	Product Height
	20 mm
Product Width	Product Weight
20 mm	40.4 g

Compliances

CE Marked

Certifications

IEC Rated

Electrical data

Amperage Rating

63 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

200 kA RMS Sym, 50 kA at 500 Vdc

Class

Class aR

Pre arc (I2T)

135

Clearing (I2T)

480 at 415 V, 750 at 660 V

Watt losses

12 W

Compliant

Product specifications

IEC 60269-4

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatible Trip indicator/Microswitch

Suitable for

EC-600 Trip indicator kit (indicator + clips)

TI700 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

Catalogs

[IEC high speed fuse links](#)

Certification reports

[DA-DC-00004685](#)

[DA-DC-00004682](#)

Technical data sheets

[720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)