Eaton 7::20HGMA140

Catalog Number: 7.20HGMA140

Oil fuse-link, medium voltage, 140 A, AC 7.2 kV, BS2692 F02, 359 x 63.5 mm, back-up, BS, IEC, ESI, with striker

General specifications

Product Name

Catalog Number

Eaton Bussmann series medium voltage 7.20HGMA140

oil fuse

Model Code

7.2KV 140A 2.5" OIL FUSE

UPC

051712837378

EAN

5027590488211

Product Length/Depth

Product Height

Product Weight

63.5 mm

Product Width

63.5 mm

359 mm

2600 g

Warranty

Compliances

BS 2692-1

ESI 12-8

Not Applicable

Certifications

IEC Rated

IEC60282-1





Resources

default Taxonomy Attribute LabelType fuse Application protection of primary side transformer, and oil-filled fuse switch combination unit **Amperage Rating** 140 A Fuse indicator with striker Fuse size 63.5 x 359 mm Breaking capacity 45 kA Installation technique Oil Performance Cat According To IEC 60282-1 Back-up **Product application** Primary side transformer protection Rated frequency - max 60 Hz Rated frequency - min 50 Hz Release characteristic Other Standard **British Standard** Utilization category Other Voltage type AC With striker Yes Fuse diameter

63.5 mm

Joule integral (I2T) - max operating

1.4 x 105

Joule integral (I2T) - min pre-arcing

9.8 x 103

Resistance

4.35

Class

Class back-up

Barrels

1

Construction type

F02/BS 2692

Fuse shape

Cylindrical

Interrupt rating

40 kAIC

45 kAIC

Construction size

63.5 x 359 mm

Voltage rating

7.2 kV

Fuse type

OHGM



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia