

# Eaton 7::2TDLSJ50

Catalog Number: 7.2TDLSJ50

Eaton Bussmann series medium voltage DIN fuse, 50 A, 7.2 kV, 40 kA, 51 x 292 mm, With Striker

## General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series medium voltage DIN fuse	7.2TDLSJ50
	UPC
	051712163613
EAN	Product Length/Depth
5027590488365	292 mm
Product Height	Product Width
51 mm	51 mm
Product Weight	Warranty
1630 g	Not Applicable
Compliances	
DIN 43625	
VDE 0670-4	
IEC 60282-1	

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

transformer protection  
indoor or outdoor use

### Amperage Rating

50 A

### Fuse indicator

With Striker

### Fuse size

51 x 292 mm

### Breaking capacity

40 kA

### Installation technique

Air

### Performance Cat According To IEC 60282-1

Back-up

### Product application

Primary side transformer protection

### Rated frequency - max

50 Hz

### Rated frequency - min

50 Hz

### Release characteristic

Other

### Standard

DIN

### Utilization category

Other

### Voltage type

AC

### With striker

Yes

### Class

Class back-up

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

7.2TDL SJ50~7-2TDL SJ50~7.2KV 50Amp 2 DIN Sealed Fuse

### Technical data sheets

720104 12kV DIN medium voltage fuses

720103 7.2kV DIN medium voltage fuses

720106 24kV DIN medium voltage fuses

720105 17.5kV DIN medium voltage fuses

Barrels

1

Used with

270303 Fuse clip

A3354710 Fuse clip

Pre arc (I2T)

3.2 x 1000

Resistance

12.9 Ohms

Watt losses

46 W

Fuse diameter

51 mm

Interrupt rating

40 kAIC

Construction size

51 x 292 mm

Mounting method

Clip-in

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

TDLSJ



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia