Eaton 7::2WFMH750

Catalog Number: 7.2WFMH750

Motor fuse-link, medium voltage, 50 A, AC 7.2 kV, 76 x 442 mm, back-up, BS, 3E, with striker HS

General specifications

Product Name

Catalog Number

Eaton Bussmann series medium voltage 7.2WFMH750

motor fuse

UPC

051712837590

EAN

Product Length/Depth

5027590085977

442 mm

Product Height

Product Width

76 mm

76 mm

Product Weight

Warranty

5438 g

Not Applicable

Compliances

Contact factory



default Taxonomy Attribute Label

| Type fuse |
|--|
| Application Motor protection |
| Amperage Rating 50 A |
| Fuse indicator Non Indicating |
| Fuse size 76 x 442 mm |
| Breaking capacity 63 A |
| Installation technique Air |
| Performance Cat According To IEC 60282-1 Back-up |
| Product application Motor protection |
| Rated frequency - max 50 Hz |
| Rated frequency - min 50 Hz |
| Release characteristic Other |
| Standard DIN |
| Utilization category Other |
| Voltage type AC |
| With striker Yes |
| Class |

Class

Barrels

Class back-up

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

7.2WFMH750~7-2WFMH750~7.2KV 50AMP 3 MOTORSTART FUSE

Fuse shape

Cylindrical, offset bolted tags

Used with

A3354730 Nickel-plated copper fuse clip

Fuse diameter

76 mm

Interrupt rating

63 kAIC

Construction size

76 x 442 mm

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

WFMH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

