

Eaton 7::2WFMSJ80

Catalog Number: 7.2WFMSJ80

Motor fuse-link, medium voltage, 80 A, AC 7.2 kV, DIN 43625 3", 76 x 442 mm, back-up, DIN, with striker HS

General specifications



Product Name	Catalog Number
Eaton Bussmann series medium voltage motor fuse	7.2WFMSJ80
	UPC
	051712837651
EAN	Product Length/Depth
5027590054508	442 mm
Product Height	Product Width
76 mm	76 mm
Product Weight	Warranty
5200 g	Not Applicable
Compliances	Certifications
VDE 0670-4 DIN 43625	IEC60282-1

defaultTaxonomyAttributeLabel

Type

fuse

Application

Motor protection

Amperage Rating

80 A

Fuse indicator

Non Indicating

Fuse size

76 x 442 mm

Breaking capacity

63 A

Installation technique

Air

Performance Cat According To IEC 60282-1

Back-up

Product application

Motor protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

DIN

Utilization category

Other

Voltage type

AC

With striker

Yes

Class

Class back-up

Barrels

Resources

Catalogs

[7.2WFMSJ80~7-2WFMSJ80~7.2KV 80A 3 M/START FUSE](#)

[Bussmann series complete full line catalog no. 1007](#)

1

Fuse shape

Cylindrical

Used with

A3354730 Nickel-plated copper fuse clip

Watt losses

72 W

Resistance

8.12 ohms

Fuse diameter

76 mm

Interrupt rating

63 kAIC

Construction size

76 x 442 mm

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

WFMSJ



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)