

# Eaton 7::2WFNHO125

Catalog Number: 7.2WFNHO125

Motor fuse-link, medium voltage, 125 A, AC 7.2 kV, 76 x 403 mm, back-up, BS, with striker, style O tags HS

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series medium voltage motor fuse	7.2WFNHO125
	<b>Model Code</b>
	7.2KV 125A 3" MOTOR START FUSE
<b>UPC</b>	<b>EAN</b>
051712837675	5027590488648
<b>Product Length/Depth</b>	<b>Product Height</b>
403 mm	76 mm
<b>Product Width</b>	<b>Product Weight</b>
76 mm	4400 g
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	BS 2692-1

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

Motor protection

### Amperage Rating

125 A

### Fuse indicator

Non Indicating

### Fuse size

76 x 403 mm

### Breaking capacity

40 A

### Installation technique

Air

### Performance Cat According To IEC 60282-1

Back-up

### Product application

Motor protection

### Rated frequency - max

50 Hz

### Rated frequency - min

50 Hz

### Release characteristic

Other

### Standard

British Standard

### Utilization category

Other

### Voltage type

AC

### With striker

Yes

### Class

Class back-up

### Barrels

## Resources

### Catalogs

[7.2WFNHO125~7-2WFNHO125~7.2KV 125A 3 MOTOR START FUSE](#)

[Bussmann series complete full line catalog no. 1007](#)

1

Fuse shape

Cylindrical, offset bolted tags

Used with

A3354730 Nickel-plated copper fuse clip

Watt losses

63 W

Resistance

2.94 ohms

Fuse diameter

76 mm

Interrupt rating

40 kAIC

Construction size

76 x 403 mm

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

WFNH



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)