# Eaton 7::2WKMH7250

# Catalog Number: 7.2WKMH7250

Motor fuse-link, medium voltage, 250 A, AC 7.2 kV, 76 x 442 mm, back-up, BS, with striker HS

# General specifications

| Catalog Number       |
|----------------------|
| e 7.2WKMH7250        |
| UPC<br>051712837712  |
| Product Length/Depth |
| 442 mm               |
| Product Width        |
| 76 mm                |
| Warranty             |
| Not Applicable       |
|                      |
|                      |



Photo is representative



# defaultTaxonomyAttributeLabel

#### Туре

fuse

# Application

Motor protection

# Amperage Rating

250 A

# Fuse indicator

Non Indicating

# Fuse size

76 x 442 mm

# Breaking capacity

63 A

# Installation technique

Air

# Performance Cat According To IEC 60282-1

Back-up

# Product application

Motor protection

# Rated frequency - max

50 Hz

# Rated frequency - min

50 Hz

# Release characteristic

Other

# Standard

DIN

# Utilization category

Other

#### Voltage type

AC

# With striker

Yes

# Class

Class back-up

# Barrels

# Resources

# Catalogs

Bussmann series complete full line catalog no. 1007

7.2WKMH7250~7-2WKMH7250~7.2KV 250AMP MOTORSTART F

1

#### Fuse shape

Cylindrical, offset bolted tags

#### Used with

A3354730 Nickel-plated copper fuse clip

# Fuse diameter

76 mm

#### Interrupt rating

63 kAIC

#### Construction size

76 x 442 mm

# Packaging type

Standard

#### Voltage rating

7.2 kV

# Fuse type

WKMH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia