# Eaton 7::2WKMSJ250

# Catalog Number: 7.2WKMSJ250

Motor fuse-link, medium voltage, 250 A, AC 7.2 kV, DIN 43625 3", 76 x 442 mm, back-up, DIN, with striker HS

# General specifications

Product Name

Catalog Number

Eaton Bussmann series medium voltage 7.2WKMSJ250

motor fuse

**UPC** 

051712837804

EAN

Product Length/Depth

5027590054706

442 mm

**Product Height** 

**Product Width** 

76 mm

76 mm

Product Weight

Warranty

5200 g

Not Applicable

Compliances

Certifications

VDE 0670-4

IEC60282-1

DIN 43625

Photo is representative



# default Taxonomy Attribute Label

Type fuse
Application  Motor protection
Amperage Rating 250 A
Fuse indicator Non Indicating
Fuse size 76 x 442 mm
Breaking capacity 63 A
Installation technique Air
Performance Cat According To IEC 60282-1 Back-up
Product application  Motor protection
Rated frequency - max 50 Hz
Rated frequency - min 50 Hz
50 Hz Release characteristic
50 Hz  Release characteristic  Other  Standard
50 Hz  Release characteristic Other  Standard DIN  Utilization category

Class

Barrels

Class back-up

# Resources

## Catalogs

7.2WKMSJ250~7-2WKMSJ250~7.2KV 250Amp 3 MOTORSTART FUSE

Bussmann series complete full line catalog no. 1007

## Fuse shape

Cylindrical

#### Used with

A3354730 Nickel-plated copper fuse clip

#### Watt losses

107 W

#### Resistance

1.23 ohms

#### Fuse diameter

76 mm

#### Interrupt rating

63 kAIC

#### Construction size

76 x 442 mm

# Packaging type

Standard

## Voltage rating

7.2 kV

## Fuse type

WKMSJ



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia