# Eaton 7::2WKMSJ355

# Catalog Number: 7.2WKMSJ355

Motor fuse-link, medium voltage, 355 A, AC 7.2 kV, DIN 43625 3", 76 x 442 mm, back-up, DIN, with striker HS

# General specifications

**Product Name** 

Catalog Number

Eaton Bussmann series medium voltage 7.2WKMSJ355

motor fuse

Model Code

7.2KV 355A 3" MOTORSTART FUSE

**UPC** 

**EAN** 

051712837828

5027590054720

Product Length/Depth

**Product Height** 

442 mm

76 mm

**Product Width** 

**Product Weight** 

76 mm

5200 g

Warranty

Compliances

Not Applicable

VDE 0670-4

DIN 43625

Photo is representative

Certifications

IEC60282-1



# default Taxonomy Attribute Label

Type fuse
Application  Motor protection
Amperage Rating 355 A
Fuse indicator Non Indicating
Fuse size 76 x 442 mm
Breaking capacity 63 A
Installation technique Air
Performance Cat According To IEC 60282-1 Back-up
Product application  Motor protection
Rated frequency - max 50 Hz
Rated frequency - min 50 Hz
Release characteristic Other
Standard DIN
Utilization category Other
Voltage type AC
With striker Yes

Class

Barrels

Class back-up

# Resources

## Catalogs

Bussmann series complete full line catalog no. 1007

7.2WKMSJ355~7-2WKMSJ355~7.2KV 355Amp 3 MOTORSTART FUSE

## Fuse shape

Cylindrical

#### Used with

A3354730 Nickel-plated copper fuse clip

#### Watt losses

125 W

#### Resistance

0.72 ohms

#### Fuse diameter

76 mm

#### Interrupt rating

63 kAIC

#### Construction size

76 x 442 mm

# Packaging type

Standard

## Voltage rating

7.2 kV

## Fuse type

WKMSJ



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia