

# Eaton 800LMMT

Catalog Number: 800LMMT

Eaton Bussmann series high speed British standard fuse, Double barrel, 800A, 240 VAC/150 VDC (IEC), 250 VAC/150 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym., 40 kA DC at 150 VDC (IEC). 50 kA at 150 VDC (UL)



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed british standard fuse	800LMMT
	<b>UPC</b>
	051712837958
<b>EAN</b>	<b>Product Length/Depth</b>
5027590055666	82 mm
<b>Product Height</b>	<b>Product Width</b>
39 mm	91 mm
<b>Product Weight</b>	<b>Warranty</b>
372 g	Not Applicable
<b>Compliances</b>	<b>Certifications</b>
CE Marked	IEC Rated
RoHS Compliant	UL Recognized
	Designed and tested to BS88 part 4
	UL recognized
	IEC 60269-4
	CCC

## Electrical data

### Amperage Rating

800 A

### Voltage rating

240 Vac, 150 Vdc

### Rated voltage AC

240 V

### Rated voltage DC

150 V

### Interrupt rating

200 kA RMS Sym, 40 kA at 150 Vdc (IEC)

200 kA RMS Sym, 50 kA at 150 Vdc (UL)

### Class

Class aR

### Pre arc (I2T)

52000

### Clearing (I2T)

300000

### Watt losses

82 W

## Product specifications

### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

### Fuse indicator

None

## Compatible Trip indicator/Microswitch

### Suitable for

MC-250 Trip indicator kit (indicator + clips)

TI250 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

## Resources

### Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

### Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

### Certification reports

[DA-DC-00004685](#)

[DA-DC-00004682](#)

### Technical data sheets

[720004 LCT, LET, LMMT, LMT](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)