Eaton 80FE

Catalog Number: 80FE

Eaton Bussmann series high speed British standard fuse, Single barrel, 80A, 690 VAC/500 VDC (IEC), 700 VAC/500 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym., 50 kA DC at 500 VDC

General specifications



Eaton Bussmann series high speed

british standard fuse

Catalog Number

80FE

UPC

051712838023

Product Length/Depth

EAN

5027590490467

76 mm

76 mm

Product Height

20 mm

20 mm

Warranty

Product Weight

Not Applicable

Product Width

41.4 g

Certifications

Compliances

IEC Rated

CE Marked

UL Recognized

RoHS Compliant

Designed and tested to BS88 part 4

IEC 60269-4





Electrical data

Amperage Rating

80 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

200 kA RMS Sym, 50 kA at 500 Vdc

Class

Class aR

Pre arc (I2T)

250

Clearing (I2T)

900 at 415 V, 1500 at 660 V

Watt losses

20 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatble Trip indicator/Microswitch

Suitable for

EC-600 Trip indicator kit (indicator + clips)

TI700 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Brochures

 $eaton-bus smann-series-bs 88-high-speed-fuses-product-aid-\\pal 35003 en-us.pdf$

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Certification reports

DA-DC-00004682

DA-DC-00004685

Technical data sheets

720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia