

# Eaton AAO2

Catalog Number: AAO2

Fuse-link, LV, 2 A, AC 550 V, BS88/A2, 14 x 85 mm, gL/gG, BS

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	AAO2
	<b>EAN</b> 5027590422321
<b>UPC</b> 051712838405	<b>Product Length/Depth</b> 85 mm
<b>Product Height</b> 14 mm	<b>Product Width</b> 14 mm
<b>Product Weight</b> 20.1 g	<b>Compliances</b> CE Marked RoHS Compliant
<b>Certifications</b> IEC 60269-2 BS88	



## Electrical data

### Amperage Rating

2 A

### Voltage rating

550 V

### Voltage type

AC

### Breaking capacity

80 kA

### Class

Class gG/gL

## Compatible fuse holder

### Suitable for

CM32F Camaster fuse holder

RS32 Red spot fuse holder

## Product specifications

### Fuse type

AAO

### Fitted with:

Offset bolted tags

### Construction

BS88/A2

## Resources

### Catalogues

CA134002EN

### Compliance information

CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

### Installation videos

Video BS88 industrial fuse links

### Multimedia

Eaton Bussmann - Red Spot fuse links

### Technical data sheets

4109 AAO fuses

### Technical service bulletins

Datasheet - AAO2



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)