# Eaton FRN-R-3

# Catalog Number: FRN-R-3

Eaton Bussmann series FRN-R fuse, 3 A, Dual, Class RK5, Nonindicating, Ferrule end x ferrule end, 8 sec at 500%, 200 kAIC at 250 V|20 kAIC at 125 Vdc, Standard, 250 V, 125 Vdc

# General specifications

**Product Name** 

Eaton Bussmann series FRN-R fuse

UPC

051712506991

**Product Height** 

0.56 in

**Product Weight** 

0.04 lb

Compliances

**CE Marked** 

Catalog Number

FRN-R-3

Product Length/Depth

0.56 in

**Product Width** 

0.56 in

Warranty

Not Applicable

Photo is representative



## Electrical rating

Amperage Rating

3 A

Interrupt rating

200 kAIC at 250 Vac 20 kAIC at 125 Vdc

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

### Physical details

Number of elements

Dual

Packaging type

Standard

#### General information

Class

Class RK5

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Finger safe, power loss 3.48 w

#### Resources

#### Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FRN-R-3

Technical data sheets

FRN-R-3~FUSETRON DUAL-ELEMENT CLASS RK5

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia