# Eaton FRN-R-40

# Catalog Number: FRN-R-40

Eaton Bussmann series FRN-R fuse, 40 A, Dual, Class RK5, Non-indicating, Ferrule end x ferrule end, 10 sec at 500%, 20 kAIC at 125 Vdc|200 kAIC at 250 V, Standard, 250 V, 125 Vdc

#### Photo is representative

### General specifications

**Product Name** 

Catalog Number

Eaton Bussmann series FRN-R fuse

FRN-R-40

UPC

Product Length/Depth

051712101783

3 in

**Product Height** 

Product Width

0.81 in

0.81 in

Product Weight

0.11 lb

Warranty
Not Applicable

Compliances

CE Marked

Powering Business Worldwide

#### Electrical rating

Amperage Rating

40 A

Interrupt rating

20 kAIC at 125 Vdc 200 kAIC at 250 Vac

Response time

10 sec at 500%

Voltage rating

250 Vac, 125 Vdc

## Physical details

Number of elements

Dual

Packaging type

Standard

#### General information

Class

Class RK5

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Finger safe

#### Resources

#### Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FRN-R-40

Technical data sheets

FRN-R-40~FUSETRON DUAL-ELEMENT CLASS RK5

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia