

# Eaton FWH-40B

Catalog Number: FWH-40B

Eaton Bussmann series FWH high speed fuse, 750 Vac, 750 Vdc, 40A, 200 kAIC at 1000 Vac, 50 kAIC at 500 Vdc, None, High speed fuse, Blade end X blade end, Stud



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed cylindrical fuse	FWH-40B
	<b>Model Code</b>
	40A 500V AC TAG HIGH SPEED FUSE
<b>UPC</b>	<b>EAN</b>
051712795753	5027590499651
<b>Product Length/Depth</b>	<b>Product Height</b>
108 mm	28 mm
<b>Product Width</b>	<b>Product Weight</b>
90 mm	63.6 g
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked
<b>Certifications</b>	
UL Recognized	
CSA Certified	

## defaultTaxonomyAttributeLabel

### Type

High speed fuse

### Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

### Amperage Rating

40 A

### Breaking capacity

200 kA

### Fuse indicator

Non Indicating

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC/DC

### Rated switching capacity

200 kA

### Rated voltage AC

500 V

### Rated voltage DC

500 V

### Mounting dimension

M8

### Center-to-center distance of connections

60.75 mm

### Current type

AC/DC

### Class

Class aR

### Clearing (I2T)

320

### Watt losses

7.5 W

## Resources

### Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

Fuse shape

Cylindrical, center bolted tags

Pre arc (I2T)

76

Color

None

Interrupt rating

50 kAIC at 500 Vdc

200 kAIC at 1000 Vac

Connection

Blade end x blade end

Construction size

Other

Mounting method

Stud

Voltage rating

500 Vac, 500 Vdc

Fuse type

FWH-B

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)