# Eaton FWP-1A14F

### Catalog Number: FWP-1A14F

Eaton Bussmann series FWP high speed fuse, 700V (UL), 1A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceramic

### General specifications



Catalog Number

Eaton Bussmann series high speed

FWP-1A14F

cylindrical fuse

Packing Unit

Pack

EAN

Quantity

5027590021425

10

Gross Weight

Length

0.206 kg

58 mm

0.200 kg

Width

Height

89 mm

35 mm

Volume

ERP Name

180.67 cm<sup>3</sup>

SAP-UNITY

Product Length/Depth

**Product Height** 

51 mm

15 mm

**Product Width** 

Product Weight

15 mm

20.6 g

Compliances

Certifications

CE Marked RoHS Compliant CSA Certified
UL Recognized



Photo is representative

### default Taxonomy Attribute Label

## Type High speed fuse Application Semiconductor, DC Common bus, DC drives, Power converters/rectifiers **Amperage Rating** 1 A Accessories CH14 Modular fuse holder FW14-PCB Breaking capacity 200 kA Frequency rating - max 62 Hz Frequency rating - min 45 Hz Fuse indicator Non Indicating Release characteristic Other Utilization category aR (accompanied semiconductor protection) Voltage type AC/DC Fuse size 14 x 51 mm Class Class aR Clearing (I2T) 0.41 Watt losses

5.7 W

Fuse shape Cylindrical

Pre arc (I2T)

### Resources

### Catalogs

IEC high speed fuse links

### Compliance information

CE FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

UKCA FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

### Technical data sheets

720025 FWP

0.04

Color

White

Interrupt rating

200 kAIC

Connection

Ferrule end x ferrule end

Construction size

14 mm x 51 mm

Material

Ceramic

Packaging type

Standard

Voltage rating

700 V

Fuse type

FWP-A14F



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia