# Eaton FWP-2A14F

## Catalog Number: FWP-2A14F

Eaton Bussmann series FWP high speed fuse, 700V (UL), 2A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceramic

### General specifications



Catalog Number

Eaton Bussmann series high speed

FWP-2A14F

cylindrical fuse

UPC

051712795104

EAN

Product Length/Depth

5027590500562

51 mm

**Product Height** 

Product Width

15 mm

15 mm

Product Weight

Warranty

20.8 g

Not Applicable

Compliances

Certifications

CE Marked RoHS Compliant UL Recognized CSA Certified





# default Taxonomy Attribute LabelType High speed fuse Application Semiconductor, DC Common bus, DC drives, Power converters/rectifiers **Amperage Rating** 2 A Accessories CH14 Modular fuse holder FW14-PCB Breaking capacity 200 kA Frequency rating - max 62 Hz Frequency rating - min 45 Hz Fuse indicator Non Indicating Release characteristic Other Utilization category aR (accompanied semiconductor protection) Voltage type AC/DC Fuse size 14 x 51 mm Class Class aR Clearing (I2T) 0.11 Watt losses 8.7 W

Fuse shape Cylindrical

Pre arc (I2T)

#### Resources

#### Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Compliance information

CE FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

UKCA FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

Technical data sheets

720025 FWP

#### Used with

Finger safe holders/blocks and striker

#### Color

White

#### Interrupt rating

200 kAIC

#### Connection

Ferrule end x ferrule end

#### Construction size

14 mm x 51 mm

#### Material

Ceramic

#### Packaging type

Standard

#### Quantity

10

#### Voltage rating

700 V

#### Fuse type

FWP-A14F



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia