

Eaton FWP-50B

Catalog Number: FWP-50B

Eaton Bussmann series FWP high speed fuse, 250 Vac/dc, 50A, 200 kAIC Vac, 50 kAIC at 700 Vdc, None, High speed fuse, Blade end X blade end, Stud



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWP-50B
	Model Code
	REPLACED BY FWP-50D
UPC	EAN
051712795999	5027590500890
Product Length/Depth	Product Height
102 mm	21 mm
Product Width	Product Weight
21 mm	93.8 g
Warranty	Compliances
Not Applicable	CE Marked
Certifications	
UL Recognized CSA Certified	

defaultTaxonomyAttributeLabel

Type

High speed fuse

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Amperage Rating

50 A

Breaking capacity

200 kA

Fuse indicator

Non Indicating

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Fuse size

22 x 58 mm

Rated switching capacity

200 A

Rated voltage AC

700 V

Rated voltage DC

700 V

Mounting dimension

M8

Center-to-center distance of connections

89.7 mm

Current type

AC/DC

Class

Class aR

Clearing (I₂T)

600 at 700 V

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Watt losses

12 W

Fuse shape

Center bolted tags

Pre arc (I2T)

135

Color

None

Interrupt rating

200 kAIC Vac

50 kAIC at 700 Vdc

50 kAIC at 300 Vdc

200 kAIC at 300 Vdc

Connection

Blade end x blade end

Construction size

Other

Mounting method

Stud

Packaging type

Standard

Voltage rating

700 Vac, 700 Vdc (UL)

Fuse type

FWP-B

Fuse system (according to IEC 60269)

Other