

# Eaton FWP-60B

Catalog Number: FWP-60B

Eaton Bussmann series FWP high speed fuse, 250 Vac/dc, 60A, 200 kAIC Vac, 50 kAIC at 700 Vdc, None, High speed fuse, Blade end X blade end, Stud



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed cylindrical fuse	FWP-60B
	UPC
	051712796002
<b>EAN</b>	<b>Product Length/Depth</b>
5027590500999	102 mm
<b>Product Height</b>	<b>Product Width</b>
21 mm	21 mm
<b>Product Weight</b>	<b>Warranty</b>
93.6 g	Not Applicable
<b>Compliances</b>	<b>Certifications</b>
CE Marked	CSA Certified
	UL Recognized

## defaultTaxonomyAttributeLabel

### Type

High speed fuse

### Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

### Amperage Rating

5 A

### Breaking capacity

200 kA

### Fuse indicator

Non Indicating

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC/DC

### Rated switching capacity

200 A

### Rated voltage AC

700 V

### Rated voltage DC

700 V

### Mounting dimension

M8

### Center-to-center distance of connections

89.7 mm

### Current type

AC/DC

### Class

Class aR

### Clearing (I<sup>2</sup>T)

950 at 700 V

### Watt losses

15.5 W

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

Fuse shape

Center bolted tags

Pre arc (I2T)

210

Color

None

Interrupt rating

200 kAIC Vac

50 kAIC at 700 Vdc

Connection

Blade end x blade end

Construction size

Other

Mounting method

Stud

Packaging type

Standard

Voltage rating

700 Vac, 700 Vdc (UL)

Fuse type

FWP-B

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)