

# Eaton FWS-6A20FI

Catalog Number: FWS-6A20FI

Eaton Bussmann series high speed traction fuse, 6A, 50 kAIC, With Indicator, Fuse, Class gS



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed traction fuse	FWS-6A20FI
	<b>UPC</b>
	051712640275
<b>EAN</b>	<b>Product Length/Depth</b>
5027590501293	135 mm
<b>Product Height</b>	<b>Product Width</b>
20.5 mm	20.5 mm
<b>Product Weight</b>	<b>Warranty</b>
108.5 g	Not Applicable
<b>Compliances</b>	<b>Certifications</b>
CE Marked	IEC Rated

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

traction

### Amperage Rating

6 A

### Breaking capacity

50 kA

### With striker

Yes

### Voltage type

AC/DC

### Utilization category

gL/gG (cable protection/equipment protection)

### Release characteristic

Other

### Fuse indicator

With Indicator

### Frequency rating - min

45 Hz

### Frequency rating - max

62 Hz

### Fuse size

20 x 127 mm

### Class

Class gG

### Clearing (I2T)

81 at 750 Vdc

### Watt losses

6.7 W

### Fuse shape

Cylindrical

### Pre arc (I2T)

27

### Rated voltage AC

## Resources

### Catalogs

[Traction fuse-links](#)

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[UKCA FWS-\\*A20F and FWS-\\*A20FI](#)

[CE FWS-\\*A20F and FWS-\\*A20FI](#)

2000 V

Rated voltage DC

1000 V

Interrupt rating

50 kAIC

50 kA at 1000 Vdc

Construction size

Other

Packaging type

Standard

Voltage rating

2000 V

Fuse type

FWS-A20F

Suitable for

CH127 Fuse holder



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)