

Eaton GG800

Catalog Number: GG800

Fuse-link, low voltage, 800 A, AC 550 V, DC 250 V, BS88, BS, IEC



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	GG800
	UPC
	051712839952
EAN	Product Length/Depth
5027590022156	9 mm
Product Height	Product Width
9 mm	27 mm
Product Weight	Warranty
1465 g	Not Applicable
Compliances	
RoHS Compliant	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

motor protection

Amperage Rating

550 A

Fitted with:

Centre bolted tags

Current type

AC/DC

Mounting dimension

M10

Center-to-center distance of connections

231 mm

Breaking capacity

80 kA

Rated switching capacity

80 kA

Rated voltage AC

550 V

Rated voltage DC

250 V

Fuse type

GG

Utilization category

gG (cable protection/equipment protection)

Color

None

Interrupt rating

80 kAIC

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Watt losses

Resources

Catalogs

CA134002EN

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA CD CD100M FF FG GG GF GH

CE CD CD100M FF FG GG GF GH

Multimedia

Eaton Bussmann - Red Spot fuse links

Technical data sheets

4104 GG fuses

64 W

Connection

167/231 mm fixing centre

Construction

BS88

Construction size

Other

Fuse shape

Center bolted tags

Cylindrical

Voltage type

AC

AC/DC

Voltage rating

550 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia