

Eaton JKS-3

Catalog Number: JKS-3

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 3 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series JKS fuse	JKS-3
UPC	EAN
051712630030	5027590445092
Product Length/Depth	Product Height
0.81 in	2.25 in
Product Width	Product Weight
0.81 in	1.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant

Electrical rating

Amperage Rating

3 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-3

Technical data sheets

JKS-3-LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)