Eaton KLM-4

Catalog Number: KLM-4

Eaton Bussmann series KLM fuse, 4 A, Non-indicating, Ferrule end x ferrule end, 50 kAIC at 600 Vdc|100 kAIC at 600 V, Nickel-plated bronze endcap|Melamine tube, 600 V, 600 Vdc

General specifications

Product Name

Catalog Number

Eaton Bussmann series KLM fuse

KLM-4

UPC

EAN

051712695114

5027590445412

Product Length/Depth

Product Height

0.001 in

0.001 in

Product Width

Product Weight

0.001 in

0.18 lb

Warranty

Compliances
CE Marked

Not Applicable

RoHS Compliant





Electrical rating

Amperage Rating

4 A

Interrupt rating

50 kAIC at 600 Vdc 100 kAIC at 600 Vac

Voltage rating

600 Vac, 600 Vdc

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KLM-4

Technical data sheets

KLM-4~LIMITRON FAST ACTING FUSE

Technical service bulletins

Datasheet - FNQ-30

Physical details

Material

Melamine tube

Nickel-plated bronze endcap

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Indicating



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia