# Eaton KTK-2

## Catalog Number: KTK-2

Eaton Bussmann series KTK fuse, Control circuits, Lighting circuit protection, Meter circuits, 2 A, Non-indicating, Ferrule end x ferrule end, 100 kAIC at 600 V, Melamine tube|Nickel-plated bronze endcap, 600 V

### General specifications

**Product Name** 

Catalog Number

Eaton Bussmann series KTK fuse

KTK-2

**UPC** 

EAN

051712420129

5027590063500

Product Length/Depth

**Product Height** 

0.41 in

1.5 in

**Product Width** 

**Product Weight** 

0.41 in

0.017 lb

Warranty

Compliances

Not Applicable

RoHS Compliant

**CE Marked** 





## Electrical rating

Amperage Rating

2 A

Interrupt rating

100 kAIC at 600 Vac

Voltage rating

600 V

## Physical details

Material

Melamine tube

Nickel-plated bronze endcap

Packaging type

Standard

## General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Small footprint

### Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-2

Technical data sheets

KTK-2~LIMITRON FAST ACTING FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia