

# Eaton LP-CC-1{2}

Catalog Number: LP-CC-1/2

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 0.5 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 300 Vdc, Melamine tube, 10



## General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-1/2
UPC	EAN
051712180405	5027590096652
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant

## defaultTaxonomyAttributeLabel

### Type

Current-limiting time-delay fuse

### Special features

Non-indicating

### Application

Specialized circuits and industrial control

### Amperage Rating

0.5 A

### Number of elements

Dual

### Class

Class CC

### Interrupt rating

200 kAIC at 600 Vac

20 kAIC at 300 Vdc

### Fuse indicator

Non-indicating

### Connection

Ferrule end x ferrule end

### Response time

12 sec at 200%

### Material

Melamine tube

### Packaging type

Standard

### Quantity

10

### Voltage rating

600 Vac, 300 Vdc

## Resources

### Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[LP-CC-1/2-LP-CC-1-2-LOW PEAK CC TIME DELAY](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - LP-CC-1/2](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)