# Eaton LPJ-100SPI

00.

LOW-PEAK

# Catalog Number: LPJ-100SPI

Eaton Bussmann series LPJ fuse, Low-peak fuse, 100 A, Dual, Class J, With indicator, Bolted blade end x bolted blade end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC Vdc|300 kAIC at 600 V, Standard

#### General specifications



Eaton Bussmann series LPJ fuse

**UPC** 

051712627542

Product Height

4.63 in

**Product Weight** 

0.29 lb

Compliances

CE Marked RoHS Compliant Catalog Number

LPJ-100SPI

Product Length/Depth

1.13 in

**Product Width** 

1.13 in

Warranty

Not Applicable



## Electrical rating

Amperage Rating

100 A

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

## Physical details

Fuse type

Time delay

**Current-limiting** 

Number of elements

Dual

Packaging type

Standard

#### General information

Class

Class J

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

With Indicator

Special features

Non-indicating, High in-rush current motor protection

#### Resources

#### Catalogs

LPJ-100SPI~INDICATING LPJ-100SP

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-100SPI

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia