# Eaton LPJ-60SP

LOW-PEAK

## Catalog Number: LPJ-60SP

Eaton Bussmann series LPJ fuse, 60 A, Dual, Class J, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC Vdc|300 kAIC at 600 V, Standard

## General specifications



Eaton Bussmann series LPJ fuse

UPC

051712523363

**Product Height** 

1.06 in

**Product Weight** 

0.19 lb

Compliances

CE Marked

**RoHS Compliant** 

Catalog Number

LPJ-60SP

Product Length/Depth

2.38 in

**Product Width** 

1.06 in

Warranty

Not Applicable



## Electrical rating

## **Amperage Rating**

60 A

## Interrupt rating

100 kAIC Vdc

300 kAIC at 600 Vac

## Response time

10 sec at 500%

## Voltage rating

600 Vac, 300 Vdc

## Physical details

#### Fuse type

Time delay

**Current-limiting** 

#### Number of elements

Dual

## Packaging type

Standard

## General information

## Class

Class J

#### Connection

Ferrule end x ferrule end

## Fuse indicator

Non-indicating

#### Special features

Non-indicating, High in-rush current motor protection

## Resources

## Catalogs

Bussmann series complete full line catalog no. 1007

LPJ-60SP~LOW-PEAK CLASS J T/D

## Multimedia

Bussmann series Fuseology

## Specifications and datasheets

Eaton Specification Sheet - LPJ-60SP

## Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia