

Eaton NITD4

Catalog Number: NITD4

Fuse-link, LV, 4 A, AC 550 V, BS88/A1, 14 x 55 mm, gL/gG, BS



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	NITD4
	EAN
	5027590504171
UPC	Product Length/Depth
051712840071	55 mm
Product Height	Product Width
14 mm	14 mm
Product Weight	Compliances
14.65 g	RoHS Compliant
	CE Marked
Certifications	
IEC 60269-2	
BS88	

Electrical data

Amperage Rating

4 A

Voltage rating

550 V

Voltage type

AC

Breaking capacity

80 kA

Class

Class gG/gL

Compatible fuse holder

Suitable for

CM32FC Camaster fuse holder

RS20 Red spot fuse holder

Product specifications

Fuse type

NITD

Fitted with:

Offset bolted tags

Construction

BS88/A1

Resources

Catalogues

CA134002EN

Compliance information

UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

Installation videos

Video BS88 industrial fuse links

Multimedia

Eaton Bussmann - Red Spot fuse links

Technical data sheets

4106 NITD fuses

Technical service bulletins

Datasheet - NITD4



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)