# Eaton NON-200

# Catalog Number: NON-200

Eaton Bussmann series NON fuse, Non current limiting, Light duty circuit locations, 200 A, Class H, Non-indicating, Blade end x blade end, 10 kAIC at 250 Vac, Standard, 1, 250 V

## General specifications



Eaton Bussmann series NON fuse

UPC

051712101721

**Product Height** 

1.56 in

**Product Weight** 

0.75 lb

Compliances

CE Marked

Catalog Number

NON-200

Product Length/Depth

7.13 in

**Product Width** 

1.56 in

Warranty

Not Applicable



## Electrical rating

Amperage Rating

200 A

Interrupt rating

10 kAIC at 250 Vac

Voltage rating

250 V

### Physical details

Packaging type

Standard

#### General information

Class

Class H

Connection

Blade end x blade end

Fuse indicator

Non-indicating

Quantity

1

Special features

Non current limiting

#### Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - NON-200

Technical data sheets

NON-200~BUSS ONE TIME FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia