

# Eaton NON-80

Catalog Number: NON-80

Eaton Bussmann series NON fuse, Non current limiting, Light duty circuit locations, 80 A, Class H, Non-indicating, Blade end x blade end, 10 kAIC at 250 Vac|50 kAIC at 125 Vdc, Standard, 5, 250 V, 125 Vdc



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series NON fuse	NON-80
<b>UPC</b>	<b>EAN</b>
051712101660	5027590065474
<b>Product Length/Depth</b>	<b>Product Height</b>
1.6 in	5.88 in
<b>Product Width</b>	<b>Product Weight</b>
1.6 in	0.3 lb
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked

## Electrical rating

### Amperage Rating

80 A

### Interrupt rating

50 kAIC at 125 Vdc

10 kAIC at 250 Vac

### Voltage rating

250 Vac, 125 Vdc

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Blade end x blade end

### Fuse indicator

Non-indicating

### Quantity

5

### Special features

Non current limiting

## Resources

### Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - NON-80](#)

### Technical data sheets

[NON-80~BUSS ONE TIME FUSE](#)

### Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)