

# Eaton NOS-25

Catalog Number: NOS-25

Eaton Bussmann series NOS fuse, Non current limiting, Light duty circuit locations, 25 A, Class H, Non-indicating, Ferrule end x ferrule end, 50 kAIC at 600 Vac, Standard, 10, 600 V

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series NOS fuse	NOS-25
<b>UPC</b>	<b>EAN</b>
051712310253	5027590065528
<b>Product Length/Depth</b>	<b>Product Height</b>
0.81 in	5 in
<b>Product Width</b>	<b>Product Weight</b>
0.81 in	0.153 lb
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked

## Electrical rating

### Amperage Rating

25 A

### Interrupt rating

50 kAIC at 600 Vac

### Voltage rating

600 V

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Pin-indicating

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - NOS-25

### Technical data sheets

NOS-25-BUSS ONE TIME FUSE

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)