



DRT2-TS04P

DeviceNet resistance thermometer input unit 4 x inputs Pt, JPt, Pt2, JPt2

Specifications

Communication port(s)	DeviceNet Slave
Type of module	Analog I/O
I/O connection type	Screw
Number of analog inputs	4
Temperature input type	JPt100, Pt100
Linear analog input type	None
Resolution of the analog inputs	10 Bit
Number of analog outputs	0
Linear analog output type	None
Degree of protection (IP)	IP20
Product Height (unpacked)	50 mm
Product Width (unpacked)	115 mm
Product Depth (unpacked)	49.7 mm
Product Weight (unpacked)	160 g

Accessories



DCN1-3C

DeviceNet T-branch tap for 3 branch lines, 5 connectors with screws, side cable entry



DCN1-3NC

DeviceNet T-Branch tap for 3 branch lines, 5 parallel clamp connectors, top cable entry



DRS1-T

CompoNet/DeviceNet termination terminal block



XW4G-05C4-TF-D

DeviceNet connector, multi-branch parallel screwless, connector insertion and wiring in same direction.

Downloads

CAD Library



DRT2-AD04/-DA02
Discontinuation Notice

EN PDF 279 KB



DRT2/CS1/CJ1/C200HW/CVM56/CPM1A/CPM2A/CPM2B/CPM2C/CPM2L/DCN1/DCN2
DeviceNet
Brochure

EN PDF 30.4 MB



Brochure

EN PDF 471 KB



DeviceNet
Operation Manual

EN PDF 3.61 MB



DeviceNet Smart Slaves
Datasheet

EN PDF 2.89 MB



EAC Mark removal
Discontinuation Notice

EN PDF 221 KB



Relay Output Remote I/O Terminal
Leaflet

EN PDF 606 KB



Remote I/O Terminals
Brochure

EN PDF 1.72 MB

