



EJ1N-TC2A-QNHB

CelciuX[®] In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/Pt100/analog input, 2 x 12 VDC plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, heater burnout alarm, M3 screw terminals

Specifications

Size	31 x 90 x 109 mm
Functions	PID control
Number of control loops	2
Temperature input type	B, C (WRe5-26), E, J, JPt100, K, L, N, P (PLII), Pt100, R, S, T, U
Linear analog input type	0 to 10 V, 0 to 20 mA, 0 to 5 V, 1 to 5 V, 4 to 20 mA
Temperature range	-200-2300 °C
Features	Current transformer input
Number of event inputs	2
Number of alarm outputs	2
Supply voltage DC	20.4-26.4 V
Control output	2 Voltage pulse
Terminal	Screw

Accessories



EJ1C-EDUA-NFLK

CelciuX⁹ In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, M3 screw terminals

CAD Library



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



EJ1 Modular Temperature Controller Users Manual

EN PDF 5.51 MB



EJ1 Modular Temperature Controller Datasheet

EN PDF 2.4 MB



EJ1N Series Presentation

EN PDF 1.3 MB



EJ1N Series Sales sheet

EN PDF 496 KB