

GX-ID1611

EtherCAT digital I/O unit, 16 x inputs, NPN, 1-wire, expandable

Specifications

Communication port(s)	EtherCAT Slave
Type of module	Digital I/O
I/O connection type	Screw
Connection method	1-wire
Number of digital inputs	16
Digital input type	NPN
Permitted voltage at input	0-26.4 V
Number of digital outputs	0
Digital output type	None
Short-circuit protected outputs	✘
Number of IOV (V+) terminals	1
Number of IOG (V-) terminals	1
Number of COM terminals	0
I/O system	I/O Expansion Link
Degree of protection (IP)	IP20
Product Height (unpacked)	52 mm
Product Width (unpacked)	135 mm
Product Depth (unpacked)	57.1 mm
Product Weight (unpacked)	180 g

Accessories



GX-JC03

3-port EtherCAT Junction module, 24 VDC power supply



GX-JC06

6-port EtherCAT Junction module, 24 VDC power supply



GX-JC06-H

6-port EtherCAT Junction module, 24 VDC power supply, with node switches



XS6W-6LSZH8SS500CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 5 m

Downloads

CAD Library



**EAC Mark removal
Discontinuation Notice**

EN PDF 221 KB



**EtherCAT Junction
Slave
Brochure**

EN PDF 1.04 MB



**GX-series EtherCAT
Remote I/O Terminal
Datasheet**

EN PDF 6.53 MB



**GX-series EtherCAT
Slave Units
Users Manual**

EN PDF 10.9 MB



**GXseries(SafetyPrecautions)
Instruction Sheet**


EN PDF 374 KB



**NJ-series -[EtherCAT]-
GX-series Digital I/O
Terminal**

Connection Guide

EN PDF 1.74 MB



**Omron GX-Digital IO
EtherCAT ESI file**

EN ZIP 1.1 MB



**Sysmac
Catalogue**

EN PDF 43.5 MB



**Sysmac: A Fully
Integrated Platform
Brochure**

EN PDF 11.8 MB

