



## K8DT-VS2TD

Monitoring relay 17.5mm wide, Single phase over or under voltage 1 to 150 V AC /DC, 1 x Transistor, 24 V AC/DC

# Specifications

|                            |   |
|----------------------------|---|
| <b>Functions</b>           | Voltage   |
| <b>Installation type</b>   | DIN Rail  |
| <b>Terminal</b>            | Push-in   |
| <b>Size</b>                | 17.5 mm   |
| <b>Setting range</b>       | 1 to 10 V AC/DC, 15 to 150 V AC/DC, 3 to 30 V AC/DC |
| <b>Supply voltage AC</b>   | 20.4-26.4 V   |
| <b>Supply voltage DC</b>   | 20.4-26.4 V   |
| <b>Output type</b>         | Transistor  |
| <b>Contact description</b> | Open collector                                      |
| <b>Body color</b>          | Black   |

# Accessories



**Y92A-D1A**

Plastic cover for H3DT & K8DT

## CAD Library



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### K8AK/K8DS Series Measuring and Monitoring Relays Brochure

EN PDF 9.24 MB



### K8DT Brochure

EN PDF 5.07 MB



### K8DT-VS 1-phase Voltage Relay Datasheet

EN PDF 3.21 MB



### Panel Building Brochure

EN PDF 3.11 MB