



R88D-KN02H-ML2

Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 200 W

Specifications

Servo control method	MECHATROLINK II
Drive supply voltage	230 V single phase
Rated output	0.2 kW

Fits to



R88M-K20030H-BS2

G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder, with brake



R88M-K20030H-S2

G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder



R88M-K20030T-BS2

G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder, with brake



R88M-K20030T-S2

G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder

Accessories

R88A-FIK102-SE

G/G5 series RFI filter; 2.4 A, 230 VAC, for 100 and 200 W models

CAD Library



Accurax G5 Servomotors/Drivers with MECHATROLINK-II Control
Users Manual

EN PDF 6.69 MB



Accurax G5 Servomotors/Drivers with Analogue/Pulse Output
Users Manual

EN PDF 7.99 MB



Accurax G5 Servomotors/Drivers with Analogue/Pulse/Indexer Output
Users Manual

EN PDF 1.02 MB



Accurax-G5 Brochure

EN PDF 6.83 MB



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



G5 Linear Servo drive with EtherCAT control
Users Manual

EN PDF 8.02 MB



G5 Programming Flyer

EN PDF 415 KB



Motor Sizing Tool Operation Manual

EN PDF 3.83 MB



R88D-K_Accurax G5 rotary drive
Datasheet

EN PDF 2.82 MB



Sysmac Catalogue

EN PDF 43.5 MB



Sysmac: A Fully Integrated Platform
Brochure

EN PDF 11.8 MB



motor_sizing_tool_v1.80.1.16
Configurator

EN ZIP 36.1 MB