



R88D-KN08H-ECT

G5 Series servo drive, EtherCAT type, 750 W, 1~ 200 VAC

Specifications

Servo control method	EtherCAT
Drive supply voltage	230 V single phase
Rated output	0.75 kW

Fits to



R88M-K75030H-BS2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder, with brake



R88M-K75030H-S2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder



R88M-K75030T-BS2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder, with brake



R88M-K75030T-S2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder

Accessories

R88A-FIK107-SE

G/G5 series RFI filter; 6.6 A, 230 VAC, for 750 W models

CAD Library



Accurax G5 Servomotors/Drives with EtherCAT Control Users Manual

EN PDF 9.89 MB



Accurax-G5 Brochure

EN PDF 6.83 MB



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



G5 Programming Flyer Flyer

EN PDF 415 KB



Omron R88D-KNxxx- ECT(-L) EtherCAT ESI file

EN ZIP 1.95 MB



R88D-K_Accurax G5 rotary drive Datasheet

EN PDF 2.82 MB



Sysmac Catalogue

EN PDF 43.5 MB



Sysmac: A Fully Integrated Platform Brochure

EN PDF 11.8 MB



motor_sizing_tool_v1.80.1.16 Configurator

EN ZIP 36.1 MB