



R88D-KN08H-ML2

Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 750 W

Specifications

Servo control method	MECHATROLINK II
Drive supply voltage	230 V single phase
Rated output	0.75 kW

Fits to



R88M-K75030H-BS2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder, with brake



R88M-K75030H-S2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder



R88M-K75030T-BS2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder, with brake



R88M-K75030T-S2

G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder

Accessories

R88A-FIK107-SE

G/G5 series RFI filter; 6.6 A, 230 VAC, for 750 W models

CAD Library



**Accurax G5
Servomotors/Drivers
with MECHATROLINK-II
Control**
Users Manual

EN PDF 6.69 MB



**Accurax G5
Servomotors/Drivers with
Analogue/Pulse Output**
Users Manual

EN PDF 7.99 MB



**Accurax G5
Servomotors/Drivers with
Analogue/Pulse/Indexer
Output**
Users Manual

EN PDF 1.02 MB



**Accurax-G5
Brochure**

EN PDF 6.83 MB



**EAC Mark removal
Discontinuation Notice**

EN PDF 221 KB



**G5 Linear Servo drive
with EtherCAT control**
Users Manual

EN PDF 8.02 MB



G5 Programming Flyer

EN PDF 415 KB



**Motor Sizing Tool
Operation Manual**

EN PDF 3.83 MB



**R88D-K_Accurax G5
rotary drive**
Datasheet

EN PDF 2.82 MB



**Sysmac
Catalogue**

EN PDF 43.5 MB



**Sysmac: A Fully
Integrated Platform**
Brochure

EN PDF 11.8 MB



motor_sizing_tool_v1.80.1.16
Configurator

EN ZIP 36.1 MB