



S8VK-T12024

Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting

Specifications

Type	Book type
Mounting method	DIN rail
Phase	Three
Power output	120 W
Efficiency	89 %
Output voltage	24 V
Rated output current	5 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Terminal	Screw
Rated supply voltage at AC 50 Hz	380-480 V
Allowable supply voltage AC	320-576 V
Allowable supply voltage DC	450-810 V
Product Width (unpacked)	40 mm
Product Height (unpacked)	125 mm
Product Depth (unpacked)	113 mm

Accessories

S82Y-VK10F

Front-mounting bracket for S8VK (120, 240 and 480 W models)

Related products



Electronic Circuit Breaker

S8V-CP - Electronic Circuit Breaker

Downloads

CAD Library



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



Perfect Power Supply Solutions Brochure

EN PDF 807 KB



S8VK-S/S8FS-G Brochure

EN PDF 2.4 MB



S8VK-T Switch Mode Power Supply Datasheet

EN PDF 4.44 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 11 November, 2024. Click here for [terms of use](#).

OMRON

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU