

EB 10-15 K/UK 35 - Insertion bridge



0205096

<https://www.phoenixcontact.com/in/products/0205096>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Insertion bridge, pitch: 15 mm, number of positions: 10, color: gray



Commercial Data

| | |
|--------------------------------------|---------------------|
| Item number | 0205096 |
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Sales Key | BE1 |
| Product Key | BE1Z2X |
| Catalog Page | Page 505 (C-1-2017) |
| GTIN | 4017918098759 |
| Weight per Piece (including packing) | 58.44 g |
| Weight per Piece (excluding packing) | 58.44 g |
| Customs tariff number | 85366990 |
| Country of origin | PL |

EB 10-15 K/UK 35 - Insertion bridge



0205096

<https://www.phoenixcontact.com/in/products/0205096>

Technical Data

Product properties

| | |
|---------------------|------------------|
| Product type | Insertion bridge |
| Number of positions | 10 |
| Pitch | 15 mm |
| Potentials | 10 |

Dimensions

| | |
|-------|-------|
| Pitch | 15 mm |
|-------|-------|

Material specifications

| | |
|---------------------|--------|
| Color | gray |
| Material | Copper |
| Insulating material | PA |

Mounting

| | |
|---------------|----------------|
| Mounting type | Screw mounting |
|---------------|----------------|

EB 10-15 K/UK 35 - Insertion bridge



0205096

<https://www.phoenixcontact.com/in/products/0205096>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27141140 |
| ECLASS-12.0 | 27141140 |
| ECLASS-13.0 | 27250303 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC000489 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

EB 10-15 K/UK 35 - Insertion bridge



0205096

<https://www.phoenixcontact.com/in/products/0205096>

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in