

https://www.phoenixcontact.com/in/products/0803344



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMS..., length: 0.166 m, width: 114 mm, height: 11.5 mm



### Commercial data

Item number	0803344
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG1
Product key	BG122Z
Catalog page	Page 36 (C-3-2019)
GTIN	4055626041872
Weight per piece (including packing)	365.4 g
Weight per piece (excluding packing)	360.7 g
Customs tariff number	84439990
Country of origin	DE



https://www.phoenixcontact.com/in/products/0803344



### Technical data

### Product properties

Produ	uct type	Magazine
Dimensions		
Width	h	114 mm
Heigh	ht	11.5 mm
Leng	th	166 mm
Material specifications		
RoHS	S compliant	yes
Environn	mental and real-life conditions	

### Ambient conditions

Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in
	the original packaging is recommended.



https://www.phoenixcontact.com/in/products/0803344



### Classifications

### **ECLASS**

	ECLASS-11.0	19140615
	ECLASS-12.0	19140615
	ECLASS-13.0	19140615
ETIM		
	ETIM 9.0	EC001675

### **UNSPSC**

UNSPSC 21.0	43211600
-------------	----------



https://www.phoenixcontact.com/in/products/0803344



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	



https://www.phoenixcontact.com/in/products/0803344



#### Accessories

### THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/in/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

### THERMOMARK PRIME - Thermal transfer printer

5148888

https://www.phoenixcontact.com/in/products/5148888



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m



https://www.phoenixcontact.com/in/products/0803344



### THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/in/products/5146464

Thermal transfer printer for cards



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in