

THERMOMARK GO ACCU - Battery



0805009

<https://www.phoenixcontact.com/in/products/0805009>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Commercial Data

Item number	0805009
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BG1
Product Key	BG122Z
Catalog Page	Page 43 (C-3-2019)
GTIN	4055626269139
Weight per Piece (including packing)	117 g
Weight per Piece (excluding packing)	116 g
Customs tariff number	85076000
Country of origin	CN

THERMOMARK GO ACCU - Battery



0805009

<https://www.phoenixcontact.com/in/products/0805009>

Technical Data

Product properties

Product type	Printing system accessories
Battery-operated voltage	7.40 V

Electrical properties

Battery

Battery capacity	2.60 Ah
------------------	---------

Energy storage

Battery capacity	2.6 Ah
Battery technology	Lithium-Ion

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
Ambient temperature (storage/transport)	23 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Shelf life	1 Year

THERMOMARK GO ACCU - Battery



0805009

<https://www.phoenixcontact.com/in/products/0805009>

Classifications

ECLASS

ECLASS-11.0	21052902
ECLASS-12.0	21052902
ECLASS-13.0	21052902

ETIM

ETIM 8.0	EC001199
----------	----------

UNSPSC

UNSPSC 21.0	26111700
-------------	----------

THERMOMARK GO ACCU - Battery



0805009

<https://www.phoenixcontact.com/in/products/0805009>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

THERMOMARK GO ACCU - Battery

0805009

<https://www.phoenixcontact.com/in/products/0805009>



Accessories

THERMOFOX - Thermal transfer printer

0803984

<https://www.phoenixcontact.com/in/products/0803984>



Portable thermal transfer printer for roll material

THERMOFOX CN - Thermal transfer printer

0803985

<https://www.phoenixcontact.com/in/products/0803985>



Portable thermal transfer printer for materials off the roll, version with Chinese firmware and Chinese keypad

THERMOMARK GO ACCU - Battery

0805009

<https://www.phoenixcontact.com/in/products/0805009>



THERMOFOX RU - Thermal transfer printer

1037760

<https://www.phoenixcontact.com/in/products/1037760>



Portable thermal transfer printer for materials off the roll, version with Russian firmware and Russian keypad

THERMOMARK GO.K - Thermal transfer printer

1184146

<https://www.phoenixcontact.com/in/products/1184146>



Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

THERMOMARK GO ACCU - Battery

0805009

<https://www.phoenixcontact.com/in/products/0805009>



THERMOMARK GO CHARGER - Charging tray

0805012

<https://www.phoenixcontact.com/in/products/0805012>



Charging cradle for charging the THERMOMARK GO ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in