

# ZBF 8:UNBEDRUCKT - Zack Marker strip, flat



0808781

<https://www.phoenixcontact.com/in/products/0808781>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Zack Marker strip, flat, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 8 mm, lettering field size: 5.15 x 8.15 mm, Number of individual labels: 10

## Your advantages

- The ZBF zack marker strip system with flat marker groove is a marking solution for modular terminal blocks and electronics modules
- Other pitches available on request
- Unlabeled marking strips can be custom-labeled with a plotter or by hand
- The multi-section marking strips are easy to fit and can be easily separated if required

## Commercial Data

Item number	0808781
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BG2
Product Key	BG2112
Catalog Page	Page 128 (C-3-2019)
GTIN	4017918180348
Weight per Piece (including packing)	0.67 g
Weight per Piece (excluding packing)	0.67 g
Customs tariff number	39269097
Country of origin	DE

# ZBF 8:UNBEDRUCKT - Zack Marker strip, flat



0808781

<https://www.phoenixcontact.com/in/products/0808781>

## Technical Data

### Product properties

Product type	Terminal marking
Pitch	8 mm
Type	flat

### Marking

Number of individual labels	10
Number of individual labels per row	10
Number of marker strips	10

### Dimensions

Width	8 mm
Pitch	8 mm

### Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

### Environmental and real-life conditions

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

### Standards and regulations


Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

### Mounting

Mounting type	snapped
---------------	---------

Drawings

Schematic diagram



# ZBF 8:UNBEDRUCKT - Zack Marker strip, flat



0808781

<https://www.phoenixcontact.com/in/products/0808781>

## Classifications

### ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

### ETIM

ETIM 8.0	EC000761
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# ZBF 8:UNBEDRUCKT - Zack Marker strip, flat



0808781

<https://www.phoenixcontact.com/in/products/0808781>


## Accessories

### PLOTMARK - Marking plotter

0804499

<https://www.phoenixcontact.com/in/products/0804499>

Marking plotter for the entire portfolio of UC marking materials and materials in sheet and strip format.



---

### CMS-P1-M/ZBF - Magazine insert

5144709

<https://www.phoenixcontact.com/in/products/5144709>

Plastic magazines for CMS-P1-PLOTTER and PLOTMARK. For accommodating 26 flat zack marker strips or ZBN strips



---

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)