

https://www.phoenixcontact.com/in/products/0825503



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 20



Your advantages

- The markers, which are supplied in uniform sheets, can be labeled quickly and easily using the BLUEMARK LED
- The UC-EM ... UniCard labeling range includes markers for devices and switching devices from a wide range of manufacturers
- · The format automatically ensures printing with a high degree of positioning accuracy
- · The wide temperature range means that the labels can be used in control cabinets as well as the field
- · The sheets provide space for including function texts

Commercial data

Item number	0825503
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG2
Product key	BG2417
Catalog page	Page 305 (C-3-2019)
GTIN	4046356365093
Weight per piece (including packing)	10.5 g
Weight per piece (excluding packing)	9.191 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/in/products/0825503



Technical data

Product properties

Product type	Device marking
Data management status	
Article revision	03
Marking	
Number of individual labels	20
Number of individual labels per row	5
Identification technology	UV LED technology

Mounting

Mounting type	snapped

Material specifications

RoHS compliant	yes
Color	white
Material	PA
Flammability rating according to UL 94	V2
Temperature index of insulation material (DIN EN 60216-1 (VDE 0304-21))	120 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 2
Components	free from silicone and halogen

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

UV resistance	
Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Test passed

Wipe resistance of inscriptions

Result

Wipe resistance of incomptions	
Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed



https://www.phoenixcontact.com/in/products/0825503



T (: :				4.1		
Lesting in a	condensation	changing	climate ii	n the	nresence of	f sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-40 °C 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Dimensions

Width	20 mm
Text field width	20.00 mm
Text field height	9.00 mm
Length	9 mm

Standards and regulations

Wipe resistance DIN EN 61010-1 (VDE 0411-1)



0825503

https://www.phoenixcontact.com/in/products/0825503

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27281103	
	ECLASS-12.0	27281103	
	ECLASS-13.0	27281103	
ETIM			
	ETIM 9.0	EC001288	
UNSPSC			

39131500



https://www.phoenixcontact.com/in/products/0825503



Environmental product compliance

20 1.0.10			
Fulfills EU RoHS substance requirements	Yes, No exemptions		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		



https://www.phoenixcontact.com/in/products/0825503



Accessories

BLUEMARK ID - Printer

1003334

https://www.phoenixcontact.com/in/products/1003334



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

https://www.phoenixcontact.com/in/products/1002329



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.



https://www.phoenixcontact.com/in/products/0825503



PLOTMARK - Marking plotter

0804499

https://www.phoenixcontact.com/in/products/0804499

Marking plotter for the entire portfolio of UC marking materials and materials in sheet and strip format.



CMS-P1-PLOTTER - Marking plotter

5144615

https://www.phoenixcontact.com/in/products/5144615

Marking plotter, weight: 8 kg, length: 0.66 m, width: 440 mm, height: 125 mm, color: silver





https://www.phoenixcontact.com/in/products/0825503



BM ID-CARTR. BK - Ink cartridge

1044345

https://www.phoenixcontact.com/in/products/1044345



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

https://www.phoenixcontact.com/in/products/1044346



Replacement UV fluid, 23 ml, color: cyan



https://www.phoenixcontact.com/in/products/0825503



BM ID-CARTR. MA - Ink cartridge

1044347

https://www.phoenixcontact.com/in/products/1044347



Replacement UV fluid, 23 ml, color: magenta

BM ID-CARTR. YE - Ink cartridge

1044348

https://www.phoenixcontact.com/in/products/1044348



Replacement UV fluid, 23 ml, color: yellow



https://www.phoenixcontact.com/in/products/0825503



BM ID-CLEANING CARTR. - Cleaning cartridge

1044350

https://www.phoenixcontact.com/in/products/1044350



Replacement cleaning cartridge

BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

https://www.phoenixcontact.com/in/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge





https://www.phoenixcontact.com/in/products/0825503



BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/in/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



CMS-DISPOSABLE-PEN 0,25 TR - Marker pen

5146685

https://www.phoenixcontact.com/in/products/5146685

Disposable pen, incl. adapter, integrated ink cartridge and pen station, writing thickness: 0.25 mm





https://www.phoenixcontact.com/in/products/0825503



CMS-DISPOSABLE-PEN 0,35 TR - Marker pen

5146686

https://www.phoenixcontact.com/in/products/5146686



Disposable pen, incl. adapter, integrated ink cartridge and pen station, writing thickness: 0.35 mm

CMS-INK-TR-C5 - Ink cartridge

5146684

https://www.phoenixcontact.com/in/products/5146684

Ink cartridge, special black ink, 5 cartridges of 1 ml each, for high demands





https://www.phoenixcontact.com/in/products/0825503



CMS-PEN 0,25 - Marker pen

5067815

https://www.phoenixcontact.com/in/products/5067815

Marker pen, incl. adapter, ink tank and reservoir, 0.25 mm nib



CMS-PEN 0,35 - Marker pen

5067828

https://www.phoenixcontact.com/in/products/5067828

Marker pen, incl. adapter, ink tank and reservoir, 0.35 mm nib





https://www.phoenixcontact.com/in/products/0825503



CMS-PEN 0,50 - Marker pen

5067831

https://www.phoenixcontact.com/in/products/5067831

Marker pen, incl. adapter, ink tank and reservoir, 0.5 mm nib



CMS-R-FLUID-TR - Cleaning fluid

5146750

https://www.phoenixcontact.com/in/products/5146750

Cleaning fluid, 30 ml, for the CMS-PEN \dots and CMS-DISPOSABLE-PEN \dots





https://www.phoenixcontact.com/in/products/0825503



CMS-R-FLUID-TR-C2 - Cleaning cartridge

5146752

https://www.phoenixcontact.com/in/products/5146752



Cleaning cartridges with replacement sealing caps, 2 cartridges with 10 ml cleaning fluid each and 2 caps for the CMS-PEN ... and CMS-DISPOSABLE-PEN ...

BM ID-MAG20 - Magazine

1044356

https://www.phoenixcontact.com/in/products/1044356



Infeed magazine for accommodating a max. of 20 UniCard sheets



https://www.phoenixcontact.com/in/products/0825503



BM ID-MAG40 - Magazine

1044357

https://www.phoenixcontact.com/in/products/1044357



Infeed magazine for accommodating a maxi. of 40 UniCard sheets

P1 UC-MAG 5 - Magazine

5146118

https://www.phoenixcontact.com/in/products/5146118

Magazine, for CMS-P1-PLOTTER, for accommodating UC1-TM..., UC1U-TM...





https://www.phoenixcontact.com/in/products/0825503



CMS-R-SET-TR - Cleaning set

5146751

https://www.phoenixcontact.com/in/products/5146751



Cleaning set, consisting of: 1x cleaning cup, 2x cleaning cartridges with 10 ml cleaning fluid each and 2x replacement sealing caps for the CMS-PEN \dots and CMS-DISPOSABLE-PEN \dots

KLM 2 - Terminal strip marker carrier

0807575

https://www.phoenixcontact.com/in/products/0807575



Terminal strip marker carrier, adjustable height, for CLIPFIX 15, CLIPFIX 35, and CLIPFIX 35-5 end brackets, can be marked using snap-in labels



https://www.phoenixcontact.com/in/products/0825503



GKM 1 GY - Cable marker carrier

1750498

https://www.phoenixcontact.com/in/products/1750498



Cable marker carrier, gray, unlabeled, mounting type: clip on, cable diameter range: $0 \dots 5.2 \text{ mm}$, lettering field size: $20 \times 8 \text{ mm}$

GKM 2 GY - Cable marker carrier

1750485

https://www.phoenixcontact.com/in/products/1750485



Cable marker carrier, gray, unlabeled, mounting type: clip on, cable diameter range: $4.8 \dots 11$ mm, lettering field size: 20×8 mm



https://www.phoenixcontact.com/in/products/0825503



BLUEMARK CLED - Printer

5147999

https://www.phoenixcontact.com/in/products/5147999



Printers with LED-UV technology for printing plastic labels in UniCard format.

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in