0829142

https://www.phoenixcontact.com/in/products/0829142



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 10.2 mm, lettering field size: 8.9 x 9.6 mm, Number of individual labels: 36

Your advantages

- The UCT-TM... UniCard labeling range includes markers for Phoenix Contact products with tall marker grooves, e.g. terminals
- · The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- The sheets provide additional space for project information and function text that can be helpful during further assembly
- · The multi-section marking strips are easy to fit and can be easily separated if required
- · Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

Commercial data

Item number	0829142
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG2
Product key	BG2118
Catalog page	Page 133 (C-3-2019)
GTIN	4046356563130
Weight per piece (including packing)	15.966 g
Weight per piece (excluding packing)	14.523 g
Customs tariff number	39269097
Country of origin	PL

0829142

https://www.phoenixcontact.com/in/products/0829142



Technical data

Notes

General	Can be labeled via thermal transfer
oduct properties	
Product type	Terminal marking
Pitch	10.2 mm
Туре	high
Data management status	
Article revision	04
	04
	04 36
Marking	

Dimensions

Width	9.6 mm
Text field width	8.90 mm
Height	4.76 mm
Text field height	9.60 mm
Length	10.5 mm
Pitch	10.2 mm

Material specifications

RoHS compliant	yes
Color	white
Material	PC
Flammability rating according to UL 94	VO
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone and halogen

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed	
UV resistance		
Specification	ISO 4892-2:2013-03 (following)	
Result	Test passed	



https://www.phoenixcontact.com/in/products/0829142

Test duration	96 h
pe resistance of inscriptions	
Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed
sting in a condensation changing climate in the presence of sulfu	ır dioxide
Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2
It spray test	
Specification	DIN EN 60068-2-11:2000-02
Result	DIN EN 60068-2-11:2000-02 Test passed
•	
Result	
Result	Test passed
Result nbient conditions Ambient temperature (operation)	Test passed -40 °C 120 °C
Result abient conditions Ambient temperature (operation) Recommended ambient temperature (storage/transport)	Test passed -40 °C 120 °C 23 °C
Result bient conditions Ambient temperature (operation) Recommended ambient temperature (storage/transport) Recommended humidity (storage/transport)	Test passed -40 °C 120 °C 23 °C
Result bient conditions Ambient temperature (operation) Recommended ambient temperature (storage/transport) Recommended humidity (storage/transport) dards and regulations Wipe resistance	Test passed -40 °C 120 °C 23 °C 50 %
Result hbient conditions Ambient temperature (operation) Recommended ambient temperature (storage/transport) Recommended humidity (storage/transport) dards and regulations	Test passed -40 °C 120 °C 23 °C 50 %

PHŒNIX CONTACT

0829142

https://www.phoenixcontact.com/in/products/0829142



Classifications

ECLASS

ECLASS-11.0	27281101	
ECLASS-12.0	27281101	
ECLASS-13.0	27281101	

ETIM

	ETIM 9.0	EC000761
UNSPSC		
	UNSPSC 21.0	39131500

0829142

https://www.phoenixcontact.com/in/products/0829142



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

0829142

https://www.phoenixcontact.com/in/products/0829142



Accessories

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267 https://www.phoenixcontact.com/in/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. . sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

BLUEMARK ID - Printer

1003334 https://www.phoenixcontact.com/in/products/1003334



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

0829142

https://www.phoenixcontact.com/in/products/0829142



BLUEMARK ID COLOR - Printer

1002329

https://www.phoenixcontact.com/in/products/1002329



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.

TOPMARK NEO - Laser marker

1012015 https://www.phoenixcontact.com/in/products/1012015



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

0829142

https://www.phoenixcontact.com/in/products/0829142



THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

https://www.phoenixcontact.com/in/products/0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black

THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371 https://www.phoenixcontact.com/in/products/0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

0829142

https://www.phoenixcontact.com/in/products/0829142



TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

https://www.phoenixcontact.com/in/products/0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. .., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black



BM ID-CARTR. BK - Ink cartridge

1044345 https://www.phoenixcontact.com/in/products/1044345



Replacement UV fluid, 23 ml, color: black

0829142

https://www.phoenixcontact.com/in/products/0829142



BM ID-CARTR. CY - Ink cartridge

1044346

https://www.phoenixcontact.com/in/products/1044346



Replacement UV fluid, 23 ml, color: cyan

BM ID-CARTR. MA - Ink cartridge

1044347 https://www.phoenixcontact.com/in/products/1044347



Replacement UV fluid, 23 ml, color: magenta

0829142

https://www.phoenixcontact.com/in/products/0829142



BM ID-CARTR. YE - Ink cartridge

1044348

https://www.phoenixcontact.com/in/products/1044348



Replacement UV fluid, 23 ml, color: yellow

BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662 https://www.phoenixcontact.com/in/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge



0829142

https://www.phoenixcontact.com/in/products/0829142



BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/in/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



TMP-UCT-MAG1 - Magazine

0803342 https://www.phoenixcontact.com/in/products/0803342



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TM..., UCT1(U)-TM..., UCT5-TM..., UCT-EM (5x10), UCT-EM (6x10), length: 0.166 m, width: 114 mm, height: 11.5 mm

0829142

https://www.phoenixcontact.com/in/products/0829142



BM ID-MAG20 - Magazine

1044356

https://www.phoenixcontact.com/in/products/1044356



Infeed magazine for accommodating a max. of 20 UniCard sheets

BM ID-MAG40 - Magazine

1044357 https://www.phoenixcontact.com/in/products/1044357



Infeed magazine for accommodating a maxi. of 40 UniCard sheets

0829142

https://www.phoenixcontact.com/in/products/0829142




TOPMARK LASER-MAG UCT-A - Magazine

0803141

https://www.phoenixcontact.com/in/products/0803141

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



TOPMARK LASER-MAG UCT-M - Magazine

0803143 https://www.phoenixcontact.com/in/products/0803143

Magazine for the TOPMARK LASER, for accommodating UCT material manually



0829142

https://www.phoenixcontact.com/in/products/0829142

KLM 2 - Terminal strip marker carrier

0807575

https://www.phoenixcontact.com/in/products/0807575



Terminal strip marker carrier, adjustable height, for CLIPFIX 15, CLIPFIX 35, and CLIPFIX 35-5 end brackets, can be marked using snap-in labels

THERMOMARK CARD - Thermal transfer printer

5146464 https://www.phoenixcontact.com/in/products/5146464



Thermal transfer printer for cards

0829142

https://www.phoenixcontact.com/in/products/0829142



BLUEMARK CLED - Printer

5147999

https://www.phoenixcontact.com/in/products/5147999



Printers with LED-UV technology for printing plastic labels in UniCard format.

THERMOMARK CARD-UCT-MAG1 - Magazine

5146480

https://www.phoenixcontact.com/in/products/5146480



Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets (UCT-TM..., UCT1-TM..., UCT5-TM...)

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in