

0830905

https://www.phoenixcontact.com/in/products/0830905

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Marker for terminal blocks, Strip, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 5 mm, lettering field size: 5 x 10 mm, Number of individual labels: 20



Your advantages

- The markers, which are supplied in uniform strips, can be printed onto quickly and easily using the BLUEMARK printing systems
- The UM1-TM ... UM labeling range includes terminal markers for Weidmüller, CONTA-CLIP, and Klemsan terminal blocks
- The multi-section marking strips are easy to fit and can be easily separated if required
- · The markers support multi-line labeling

Commercial Data

Item number	0830905
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BG2
Product Key	BG211C
Catalog Page	Page 168 (C-3-2019)
GTIN	4046356910361
Weight per Piece (including packing)	2.025 g
Weight per Piece (excluding packing)	1.975 g
Customs tariff number	39269097
Country of origin	PL



0830905

https://www.phoenixcontact.com/in/products/0830905

Technical Data

Product properties

Product type	Terminal marking
Pitch	5 mm
Туре	high
Area of application	Weidmüller, CONTA-CLIP, and Klemsan: Terminal blocks
arking	
Number of individual labels	20
Number of individual labels per row	10
Number of marker strips	2
arking technology	
Device	5146464 THERMOMARK CARD
Ink ribbon	0801371 THERMOMARK-RIBBON 110-TC
Daintakilik .	Thermal transfer
Printability	memai transier
ensions	Thermal dansier
	5 mm

Material specifications

Pitch

RoHS compliant	yes
Color	white
Material	PC
Flammability rating according to UL 94	V2
Components	free from silicone, halogen, and cadmium

5 mm

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
resistance	
Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h
ipe resistance of inscriptions	
Specification	IEC 61010-1:2010-06
opoomoation	

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
---------------	-------------------



0830905

https://www.phoenixcontact.com/in/products/0830905

Result	Test passed	
Climate level	AHT 1.0 S	
Cycles	2	
Salt spray test		
Specification	DIN EN 60068-2-11:2000-02	
Result	Test passed	
Ambient conditions		
Ambient temperature (operation)	-40 °C 120 °C	
Recommended ambient temperature (storage/transport)	23 °C	
Recommended humidity (storage/transport)	50 %	
Standards and regulations		
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)	
Mounting		
Mounting type	snapped	



0830905

https://www.phoenixcontact.com/in/products/0830905

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11	0	27281101
ECLASS-12	.0	27281101
ECLASS-13	.0	27281101
ETIM		
ETIM 8.0		EC000761
UNSPSC		

39131500



0830905

https://www.phoenixcontact.com/in/products/0830905

Accessories

TOPMARK NEO - Laser marker

1012015

https://www.phoenixcontact.com/in/products/1012015



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

TOPMARK LASER - Laser marker

0831831

https://www.phoenixcontact.com/in/products/0831831



Laser marker and MARKING NOTEBOOK with German operating system and German keyboard, incl. CLIP-PROJECT PROFESSIONAL software and installed drivers, user manual, sheet magazine, card magazine, and 230 V extraction unit



0830905

https://www.phoenixcontact.com/in/products/0830905

BLUEMARK ID - Printer

1003334

https://www.phoenixcontact.com/in/products/1003334



Monochrome printer with UV LED technology, with integrated "MARKING SYSTEM APP" marking software on board. 7" touch color display for printing plastic tags in UC, UCT, US, and UM format, as well as metal plates.

BLUEMARK ID COLOR - Printer

1002329

https://www.phoenixcontact.com/in/products/1002329



CMYK multicolor printer with UV LED technology, with integrated "MARKING SYSTEM APP" marking software on board, 7" touch color display for printing plastic tags in UC, UCT, US, and UM format, as well as metal plates.



0830905

https://www.phoenixcontact.com/in/products/0830905

BLUEMARK CLED - Printer

5147999

https://www.phoenixcontact.com/in/products/5147999



 $\label{printers} \mbox{ Printers with LED-UV technology for printing plastic labels in UniCard format.}$

THERMOMARK PRIME - Thermal transfer printer

5148888

https://www.phoenixcontact.com/in/products/5148888



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m



0830905

https://www.phoenixcontact.com/in/products/0830905

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/in/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. User manual printed in German and English. Magazine for UCT-TM... sheets and magazines for US-... cards. One Pcs./Pkt. each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/in/products/5146464

Thermal transfer printer for cards





0830905

https://www.phoenixcontact.com/in/products/0830905

TMP-UM-MAG1 - Magazine

0831200

https://www.phoenixcontact.com/in/products/0831200

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1-TM and UM5-TM) $\,$



BLUEMARK MAG UM-TM - Magazine

0803335

https://www.phoenixcontact.com/in/products/0803335

Magazine for the BLUEMARK printer, for accommodating UM materials





0830905

https://www.phoenixcontact.com/in/products/0830905

THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

https://www.phoenixcontact.com/in/products/0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., roll length: 50 m, width: 110 mm, color: black

THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

https://www.phoenixcontact.com/in/products/0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., roll length: 300 m, width: 110 mm, color: black



0830905

https://www.phoenixcontact.com/in/products/0830905

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

https://www.phoenixcontact.com/in/products/0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. .., US..., and UM..., roll length: 70 m, width: 110 mm, color: black



BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

https://www.phoenixcontact.com/in/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge





0830905

https://www.phoenixcontact.com/in/products/0830905

BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/in/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in