

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Marker for terminal blocks, Strip, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 16 mm, lettering field size: 16 x 10 mm, Number of individual labels: 8



## Your advantages

- The markers, which are supplied in uniform strips, can be printed onto quickly and easily using the BLUEMARK printing systems
- The UM-TM ... UM labeling range includes terminal markers for Phoenix Contact terminal blocks with tall marker groove
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multi-line labeling

## Commercial Data

Item number	0830941
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BG2
Product Key	BG211M
GTIN	4046356910774
Weight per Piece (including packing)	2.57 g
Weight per Piece (excluding packing)	2.34 g
Customs tariff number	39269097
Country of origin	PL

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

## Technical Data

### Product properties

Product type	Terminal marking
Pitch	16 mm
Type	high
Area of application	Phoenix Contact

### Marking

Number of individual labels	8
Number of individual labels per row	4
Number of marker strips	2

### Marking technology

Device	5146464 THERMOMARK CARD
Ink ribbon	0801371 THERMOMARK-RIBBON 110-TC
Printability	Thermal transfer

### Dimensions

Width	10 mm
Length	16 mm
Pitch	16 mm

### Material specifications

RoHS compliant	yes
Color	white
Material	PC
Flammability rating according to UL 94	V2
Components	free from silicone, halogen, and cadmium

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

#### Wipe resistance of inscriptions

Specification	IEC 61010-1:2010-06
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)

#### Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
---------------	-------------------

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

## Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

## Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

## Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

## Mounting

Mounting type	snapped
---------------	---------

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

## Classifications

### ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

### ETIM

ETIM 8.0	EC000761
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

## Accessories

### BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/in/products/1044345>



Replacement UV fluid, 23 ml, color: black

---

### BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/in/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

# UM-TM (16X10) - Marker for terminal blocks



0830941

<https://www.phoenixcontact.com/in/products/0830941>

## BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/in/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

---

## BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/in/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

## UM-TM (16X10) - Marker for terminal blocks

0830941

<https://www.phoenixcontact.com/in/products/0830941>



## BM ID-CLEANING CARTR. - Cleaning cartridge

1044350

<https://www.phoenixcontact.com/in/products/1044350>



Replacement cleaning cartridge

---

## BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

<https://www.phoenixcontact.com/in/products/5146662>



Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge

## UM-TM (16X10) - Marker for terminal blocks

0830941

<https://www.phoenixcontact.com/in/products/0830941>



## BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

<https://www.phoenixcontact.com/in/products/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



---

## THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/in/products/0801371>

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., roll length: 300 m, width: 110 mm, color: black





## UM-TM (16X10) - Marker for terminal blocks

0830941

<https://www.phoenixcontact.com/in/products/0830941>



## TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/in/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., roll length: 70 m, width: 110 mm, color: black



---

## TMP-UM-MAG1 - Magazine

0831200

<https://www.phoenixcontact.com/in/products/0831200>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1-TM and UM5-TM)



# UM-TM (16X10) - Marker for terminal blocks

0830941

<https://www.phoenixcontact.com/in/products/0830941>



## BLUEMARK MAG UM-TM - Magazine

0803335

<https://www.phoenixcontact.com/in/products/0803335>

Magazine for the BLUEMARK printer, for accommodating UM materials



---

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)