


# ZB 5 :UNBEDRUCKT - Zack marker strip



1050004

<https://www.phoenixcontact.com/in/products/1050004>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Zack marker strip, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.1 x 10.5 mm, Number of individual labels: 10

## Your advantages

- Other pitches available on request
- The multi-section marking strips are easy to fit and can be easily separated if required
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- The ZB zack marker strip system is a marking solution for modular terminal blocks and electronics modules with tall marker grooves
- Unlabeled marking strips can be custom-labeled with a plotter or by hand

## Commercial Data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1050004             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 10 pc               |
| Sales Key                            | BG2                 |
| Product Key                          | BG2112              |
| Catalog Page                         | Page 117 (C-3-2019) |
| GTIN                                 | 4017918015473       |
| Weight per Piece (including packing) | 1.36 g              |
| Weight per Piece (excluding packing) | 1.2 g               |
| Customs tariff number                | 39269097            |
| Country of origin                    | IN                  |

# ZB 5 :UNBEDRUCKT - Zack marker strip



1050004

<https://www.phoenixcontact.com/in/products/1050004>

## Technical Data

### Notes

|         |                         |
|---------|-------------------------|
| General | Can be labeled with CMS |
|---------|-------------------------|

### Product properties

|              |                  |
|--------------|------------------|
| Product type | Terminal marking |
| Pitch        | 5.2 mm           |
| Type         | high             |

### Marking

|                                     |    |
|-------------------------------------|----|
| Number of individual labels         | 10 |
| Number of individual labels per row | 10 |
| Number of marker strips             | 10 |

### Dimensions

|       |        |
|-------|--------|
| Width | 5 mm   |
| Pitch | 5.2 mm |

### Material specifications

|                                        |                                |
|----------------------------------------|--------------------------------|
| Color                                  | white                          |
| Material                               | PA                             |
| Flammability rating according to UL 94 | V2                             |
| Components                             | free from silicone and halogen |

### Environmental and real-life conditions

#### UV resistance

|               |                                |
|---------------|--------------------------------|
| Specification | ISO 4892-2:2013-03 (following) |
|---------------|--------------------------------|

#### Ambient conditions

|                                                     |                   |
|-----------------------------------------------------|-------------------|
| Ambient temperature (operation)                     | -40 °C ... 100 °C |
| Recommended ambient temperature (storage/transport) | 23 °C             |
| Recommended humidity (storage/transport)            | 50 %              |

### Standards and regulations

|                 |                             |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|                 | DIN VDE 0611                |

### Mounting

|               |         |
|---------------|---------|
| Mounting type | snapped |
|---------------|---------|


# ZB 5 :UNBEDRUCKT - Zack marker strip

1050004

<https://www.phoenixcontact.com/in/products/1050004>

## Drawings

Schematic diagram



# ZB 5 :UNBEDRUCKT - Zack marker strip



1050004

<https://www.phoenixcontact.com/in/products/1050004>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281101 |
| ECLASS-12.0 | 27281101 |
| ECLASS-13.0 | 27281101 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC000761 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39131500 |
|-------------|----------|

# ZB 5 :UNBEDRUCKT - Zack marker strip

1050004

<https://www.phoenixcontact.com/in/products/1050004>



## Accessories

### PLOTMARK - Marking plotter

0804499

<https://www.phoenixcontact.com/in/products/0804499>

Marking plotter for the entire portfolio of UC marking materials and materials in sheet and strip format.



---

### GBS 5-UK - Marker carriers

0804882

<https://www.phoenixcontact.com/in/products/0804882>

Marker carrier, for all UK terminal blocks for which the TS-K separating plate is designed, can be fitted with ZB 5, color: Gray



# ZB 5 :UNBEDRUCKT - Zack marker strip

1050004

<https://www.phoenixcontact.com/in/products/1050004>

## STP 5-2 - Marker carriers

0800967

<https://www.phoenixcontact.com/in/products/0800967>



Marker carriers, snaps into STTB 2,5, STTB 4, PTTB 2,5, and PTTB 4 double-level spring-cage terminal blocks, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in, lettering field size: 5 x 10.5 mm

---

## STP 5-2/S - Marker carriers

0800970

<https://www.phoenixcontact.com/in/products/0800970>



Marker carriers, snaps into the ZFKK 1,5 double-level spring-cage terminal block with MSTBV or ICV load contact, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in, lettering field size: 5 x 10.5 mm

# ZB 5 :UNBEDRUCKT - Zack marker strip

1050004

<https://www.phoenixcontact.com/in/products/1050004>

## GBS 5-UKK - Marker carriers

0804947

<https://www.phoenixcontact.com/in/products/0804947>



Marker carrier, for all terminal blocks for which the TS-KK 3 separating plate is designed, can be fitted with ZB 5, color: Gray

---

## STP 5-3 - Marker carriers

0810562

<https://www.phoenixcontact.com/in/products/0810562>



Marker carriers, snaps into the ST 2,5-3L three-level spring-cage terminal block, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in, lettering field size: 5 x 10.5 mm

# ZB 5 :UNBEDRUCKT - Zack marker strip



1050004

<https://www.phoenixcontact.com/in/products/1050004>

## SAD 5-UK - Marker adapter

1000782

<https://www.phoenixcontact.com/in/products/1000782>



Label adapter, snaps onto terminal blocks with marker groove, 45° angled, for modular terminal blocks with 5 mm pitch, labeling with ZB 5

---

## STP 5-2-ZB - Marker carriers

3037643

<https://www.phoenixcontact.com/in/products/3037643>



Marker carriers, snaps into ST 2,5 spring-cage terminal blocks, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in

---

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.  
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420  
[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)