

1085260

https://www.phoenixcontact.com/in/products/1085260

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

### **Product Description**

The THERMOMARK ROLL 2.0 prints markers in roll format for top quality terminal, wire, cable, equipment, and plant marking applications. You can easily create high-quality printed labels and markers.

### Your advantages

- The THERMOMARK ROLL 2.0 prints marking material in roll format. For applications in terminal, wire, cable, equipment, and plant marking
- · Printing of punched and continuous adhesive labels, insert labels, and shrink sleeves
- · Fast, high-quality, and durable printing
- · Easy and intuitive operation via touch color display
- · Maintenance-free operation with proven thermal transfer printer technology
- Easy to control with the PROJECT COMPLETE software
- · USB and Ethernet connections

### **Commercial Data**

Item number	1085260
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BG1
Product Key	BG1221
Catalog Page	Page 40 (C-3-2019)
GTIN	4055626834764
Weight per Piece (including packing)	6,370 g
Weight per Piece (excluding packing)	6,289 g
Customs tariff number	84433210
Country of origin	DE



1085260

https://www.phoenixcontact.com/in/products/1085260

### **Technical Data**

### Product properties

Product type	Printing system
Device properties	
Print width	105 mm
Print resolution	300 dpi
Operating system	MS Windows Vista, MS Windows 7 (32/64-bit), MS Windows 8 (32/64-bit), MS Windows 8.1 (32/64-bit), MS Windows 10 (32/64-bit), Server 2008, Server 2008 R2, Server 2012, Server 2012 R2

### Electrical properties

$\sim$		_	
Su	n	n	I١
ou	υ	υ	I١

Supply voltage range	100 V AC 240 V AC (50 Hz 60 Hz)	
Supply voltage range	100 V AC 240 V AC (50 HZ 60 HZ)	

### Interfaces

Interface	10/100 Mbps Ethernet, USB 2.0, RS-232

### **Dimensions**

Width	240 mm
Height	189 mm
Length	320 mm

### Environmental and real-life conditions

### Ambient conditions

Ambient temperature (operation)	10 °C 35 °C
---------------------------------	-------------



1085260

https://www.phoenixcontact.com/in/products/1085260

### Approvals



Approval ID: RU D-DE.GB09.B.00141



CCC

Approval ID: 2019010904194065



Approval ID: R-R-YG3-TR20



EAC

Approval ID: RU D-DE.HB49.B.00023



**cULus Recognized** Approval ID: E140403



1085260

https://www.phoenixcontact.com/in/products/1085260

### Classifications

UNSPSC 21.0

### **ECLASS**

ECLASS-11.0	19140104	
ECLASS-12.0	19140104	
ECLASS-13.0	19140104	
ETIM		
ETIM 8.0	EC001672	
UNSPSC		

43212100



1085260

https://www.phoenixcontact.com/in/products/1085260

### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 10;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"



1085260

https://www.phoenixcontact.com/in/products/1085260

### Accessories

### THERMOMARK-RIBBON 110-WMTB HF - Ink ribbon

5148007

https://www.phoenixcontact.com/in/products/5148007



Ink ribbon, for roll printer for printing product groups WMTB HF..., WMS-2 HF..., TMT..., EMT..., EMLF..., PML-..., roll length: 300 m, width: 110 mm, color: black

### TM-RIBBON 110-TC/TR WH - Ink ribbon

1014402

https://www.phoenixcontact.com/in/products/1014402



Ink ribbon, for roll printer and THERMOMARK CARD for printing product groups US-EMLF..., US-PML..., EMLF..., PML..., and EMLP..., length: 240 m, width: 110 mm, color: white



1085260

https://www.phoenixcontact.com/in/products/1085260

#### THERMOMARK-RIBBON 110 - Ink ribbon

5145384

https://www.phoenixcontact.com/in/products/5145384



Ink ribbon, for roll printers for printing the product groups TML..., WML..., WML HF..., WML-FLAG..., EML..., EML-ESD..., EML-RM..., EML-HA..., EMLS..., EMLC..., EMLP... and PMM..., roll length: 300 m, width: 110 mm, color: black

#### THERMOMARK-RIBBON 110 BU - Ink ribbon

0829544

https://www.phoenixcontact.com/in/products/0829544



Ink ribbon, roll length: 300 m, width: 110 mm, color: blue



1085260

https://www.phoenixcontact.com/in/products/1085260

### THERMOMARK-RIBBON 110 GN - Ink ribbon

0829542

https://www.phoenixcontact.com/in/products/0829542



Ink ribbon, roll length: 300 m, width: 110 mm, color: green

### THERMOMARK-RIBBON 110 RD - Ink ribbon

0829543

https://www.phoenixcontact.com/in/products/0829543



Ink ribbon, roll length: 300 m, width: 110 mm, color: red



1085260

https://www.phoenixcontact.com/in/products/1085260

### THERMOMARK-RIBBON 110-EML-HT - Ink ribbon

0800342

https://www.phoenixcontact.com/in/products/0800342



Ink ribbon, for roll printer for printing product group EML-HT..., roll length: 300 m, width: 110 mm, color: black

### THERMOMARK-RIBBON 110-WMSU - Ink ribbon

0801358

https://www.phoenixcontact.com/in/products/0801358



Ink ribbon, For roll printer for printing product groups WMS..., WMS-2 HF..., and WMTB HF-HP, length: 300 m, roll length: 300 m, width: 110 mm, color: black



1085260

https://www.phoenixcontact.com/in/products/1085260

### THERMOMARK-RIBBON 110-WMSU WH - Ink ribbon

0801359

https://www.phoenixcontact.com/in/products/0801359



Ink ribbon, for roll printer for printing product group WMS... (black), roll length: 300 m, width: 110 mm, color: white

#### THERMOMARK-RIBBON 64-WMSU - Ink ribbon

0801360

https://www.phoenixcontact.com/in/products/0801360



Ink ribbon, for roll printer for printing product groups WMS... and WMS-2 HF..., length: 300 m, roll length: 300 m, width: 64 mm, color: black



1085260

https://www.phoenixcontact.com/in/products/1085260

### THERMOMARK-RIBBON 64-WMSU WH - Ink ribbon

0801361

https://www.phoenixcontact.com/in/products/0801361



Ink ribbon, for roll printer for printing product group WMS... (black), length: 300 m, roll length: 300 m, width: 64 mm, color: white

### THERMOMARK ROLL-CUTTER - Cutter

5146422

https://www.phoenixcontact.com/in/products/5146422



Cutter for THERMOMARK ROLL and THERMOMARK ROLL 2.0, cutter width: 110 mm, suitable for: TML, SK, EML-RM, PMM, WMS, WMS-2 HF, WMS-OT HF, TMT continuous media, and EMT (EX15)R



1085260

https://www.phoenixcontact.com/in/products/1085260

#### THERMOMARK ROLL-CUTTER/P - Cutter

5146435

https://www.phoenixcontact.com/in/products/5146435



Perforation cutter, for the THERMOMARK ROLL and THERMOMARK ROLL 2.0, cutter width: 45 mm, suitable for: WMS continuous media up to 25.4 mm, WMS-2 continuous media up to 25.4 mm, WMS-OT HF continuous media, TMT continuous media, and EMT (EX15)R

#### PROJECT COMPLETE - Software

1050453

https://www.phoenixcontact.com/in/products/1050453



Intuitive planning and marking software for configuring terminal strips and for professional marking of marking materials for terminal blocks, conductors, cables, devices, and systems. The software is available for download



1085260

https://www.phoenixcontact.com/in/products/1085260

### THERMOMARK ROLL-ERH - Media hub

5146448

https://www.phoenixcontact.com/in/products/5146448



External media hub, for the THERMOMARK ROLL, for roll diameter of 150 to 400 mm

### THERMOMARK-ERH 500 - Media hub

5146309

https://www.phoenixcontact.com/in/products/5146309



External media hub, for the THERMOMARK ROLL, for roll diameter of up to  $500 \ \mathrm{mm}$ 



1085260

https://www.phoenixcontact.com/in/products/1085260

### TL CASE - Transport case

0800613

https://www.phoenixcontact.com/in/products/0800613



Transport case for THERMOMARK printers, rounded profile case with aluminum frame, including the TL CASE TROLLY

### TL CASE TROLLY - Cart for printer

0803337

https://www.phoenixcontact.com/in/products/0803337



Trolley for the transport cases for THERMOMARK LINE and THERMOMARK ROLL X1



1085260

https://www.phoenixcontact.com/in/products/1085260

### TC/TR-PACKAGE WITH FOAM - Original packaging

0801804

https://www.phoenixcontact.com/in/products/0801804



Original packaging for transportation

### TR-MARGIN STOP - Locking

0801810

https://www.phoenixcontact.com/in/products/0801810

Locking





1085260

https://www.phoenixcontact.com/in/products/1085260

### TR-PRESSURE ROLLER DR4-50 - Pressure roller

0801800

https://www.phoenixcontact.com/in/products/0801800

Pressure roller for continuous shrink sleeve



### TR-PRESSURE ROLLER STANDARD - Pressure roller

0801802

https://www.phoenixcontact.com/in/products/0801802

Standard pressure roller





1085260

https://www.phoenixcontact.com/in/products/1085260

### TR-TEAR OFF PLATE - Demolition plate

0801803

https://www.phoenixcontact.com/in/products/0801803

Demolition plate



### THERMOMARK-CP - Accessories

5145371

https://www.phoenixcontact.com/in/products/5145371

Cleaning pen, for thermal transfer printers





1085260

https://www.phoenixcontact.com/in/products/1085260

### UM IA THERMOMARK ROLL - Manual

2910897

https://www.phoenixcontact.com/in/products/2910897

Manual



### TM-RIBBON 25 BK 102 - Ink ribbon

1053499

https://www.phoenixcontact.com/in/products/1053499



Ink ribbon, for printing WMS-OT/WMS-2 HF... materials, roll length: 300 m, width: 25 mm, color: black

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in